

ZETI[®]

ZUZ6

Natalia Su



Whatsapp

Wechat

Jims



Whatsapp

Wechat



Factory:
4th Floor, Area C, Huayu Lighting Industrial Park, No. 1 Tongshun Road,
Tongyi Industrial Zone, Guzhen Town, Zhongshan City

WWW.ZETILIGHTING.COM

ZETI[®]
LIGHTING

2 0 2 6
PRODUCT CULTURE

LIGHT

FOR THE FUTURE



Company Profile

Light with Texture, Illuminate Quality Life

As a professional manufacturer specializing in the design, production, and sales of modern-style lighting fixtures, we have been committed to providing high-quality lighting solutions since our establishment in April 2017. Guided by our brand philosophy, "Light with Texture," we combine exquisite craftsmanship with innovative design to create lighting products that embody both aesthetics and functionality. With extensive industry experience, we offer OEM services for renowned domestic brands and have successfully completed numerous hotel lighting projects worldwide, earning widespread acclaim.

With end-to-end capabilities from design to production and sales, we cater to customers' customized needs. Whether in product design, project implementation, or quality control, we adhere to the highest standards, earning consistent praise for our superior quality and attentive service. Moving forward, we will continue to harness the power of light, creating more textured and inspiring lighting environments for clients around the world.

Core Strengths

Professional Design:	Blending modern aesthetics with functionality for unique lighting effects
Production:	Rigorous craftsmanship to ensure product excellence
Customized Services:	Flexible solutions tailored to client needs
Extensive Project Experience:	Successful cases in hotels and commercial spaces globally

ZETI®

ZHONG SHAN ZETI LIGHTING CO.LTD





ZT8101 Series Customization available

Material:	Aluminum	ITeM NO.		ZT8101-12	ZT8101-16
Lamp Shade:	PC	Wattage:		40W	55W
Voltage:	220V-240V	Size:		L1285 * W28 * H60 (Adjustable Hanging wire L1500mm)	L1635 * W28 * H60 (Adjustable Hanging wire L1500mm)
Light source:	Led	Color Temp:		2700K/4000K/5000K	2700K/4000K/5000K
High CRI:	CRI>90	Light Angle:		36°	36°
Waterproof:	IP20	Dimming type:		DIP switch DIM / TRIAC DIM / DALI DIM / Remote DIM	
Class:	I	Function:		Lamp lifting function (optional)	
Finishes:	     				
	Sand champagne silverSand dark grayIce crack texture champagne goldIce crack texture dark graySand blackSand white				

ZETI®

ZHONG SHAN ZETI LIGHTING CO.LTD





Customization available






90 CRI(Ra)
High Display Index



Health Spectrum

Finishes:





Sand white

PHILIPS  **90** CRI(Ra) High Display Index  Health Spectrum



VIDEO

ZT8007 Series

Customization available

Material: Aluminum
Lamp Shade: PC
Voltage: 220V-240V
Light source: PHILIPS-Led
High CRI: CRI>90
Waterproof: IP20
Class: I
Finishes:



Sand white



Brushed Dark Grey


ITeM NO.	ZT8007-12	8007-14	8007-16
Wattage:	28.5W	34.2W	37.5W
Size:	L1145 * W50 * H60 (Adjustable Hanging wire L1500mm)	L1335 * W50 * H60 (Adjustable Hanging wire L1500mm)	L1525 * W50 * H60 (Adjustable Hanging wire L1500mm)
Color Temp:	2700K/3300K/4000K	2700K/3300K/4000K	2700K/3300K/4000K
Light Angle:	40° * 70°	40° * 70°	40° * 70°
Dimming type:	DIP switch DIM / TRIAC DIM / DALI DIM / Remote DIM		

Internal structural details

ZETI®



ZHONG SHAN ZETI LIGHTING CO.LTD





Brushed Dark Grey

FREE FIXED POSITION



Brushed Champagne Gold



Brushed Champagne Silver



Sand white

ZT8008 Series

Customization available

Material: Aluminum
Lamp Shade: PC
Voltage: 175-264V
Light source: LED
High CRI: CRI>90
Waterproof: IP20
Class: I

Finishes:



Brushed Dark Grey



Brushed champagne silver



Brushed Champagne Gold



Sand black




Sand white

ITeM NO.	ZT8008-12	ZT8008-16	ZT8008-22
Wattage:	24W	38.5W	48W
Size:	L1125 * W50 * H50 (Adjustable Hanging wire L1500mm)	L1655 * W50 * H50 (Adjustable Hanging wire L1500mm)	L2285 * W50 * H50 (Adjustable Hanging wire L1500mm)
Color Temp:	2700K/4000K/6500K	2700K/4000K/6500K	2700K/4000K/6500K
Light Angle:	38°	38°	38°
Dimming type:	Hand scan DIM / DIP switch DIM / TRIAC DIM / DALI DIM / Remote DIM		

ZETI®

ZHONG SHAN ZETI LIGHTING CO.LTD





Brushed Dark Grey



Brushed Champagne Gold



Brushed Champagne Silver




Sand white

ZT8009 Series Customization available

Material:	Aluminum	ITeM NO.	ZT8009-12	ZT8009-16	ZT8009-22
Lamp Shade:	PC	Wattage:	28W	36.5W	48W
Voltage:	175V-264V	Size:	L1200 * W16 * H60 (Adjustable Hanging wire L1500mm)	L1660 * W16 * H60 (Adjustable Hanging wire L1500mm)	L2115 * W16 * H60 (Adjustable Hanging wire L1500mm)
Light source:	LED	Color Temp:	2700K/4000K/6500K	2700K/4000K/6500K	2700K/4000K/6500K
High CRI:	CRI>90	Light Angle:	36°	36°	36°
Waterproof:	IP20	Dimming type:	Hand scan DIM / DIP switch DIM / TRIAC DIM / DALI DIM / Remote DIM		
Class:	I				
Finishes:					





ZT9026-A-800

ZT9026-A-1200

ZT9026-A-1600

ZT9026 Series


Customization available

Material:	Aluminum	ITeM NO.	ZT9026-A-800	ZT9026-A-1200	ZT9026-A-1600
Lamp Shade:	PC	Wattage:	18W	27W	38W
Voltage:	220V-240V	Size:	L800 * W43 * H73.5	L1200 * W43 * H73.5	L1600 * W43 * H73.5
High CRI:	CRI>90	Color Temp:	3000K/4000K	3000K/4000K	3000K/4000K
Waterproof:	IP20	Light source:	LED	LED	LED
Class:	I	Function:	Non	Non	Non


Finishes:




Sand champagne gold Sand dark grey Sand black Sand white Brushed nickel Brushed copper



ZT9026-C-3000



ZT9026-C-2200



ZT9026-B-1500


ZT9026 Series

Customization available

Material:	Aluminum	ITeM NO.	ZT9026-C-3000	ZT9026-C-2200	ZT9026-B-1500
Lamp Shade:	PC	Wattage:	76W	50W	38W
Voltage:	220V-240V	Size:	L3020 * W43 * H73.5	L2220 * W43 * H73.5	L1500 * W43 * H73.5
High CRI:	CRI>90	Color Temp:	3000K	3000K	3000K
Waterproof:	IP20	Light source:	LED	LED	LED
Class:	I	Function:	Non	Non	Non
Finishes:	 Sand champagne gold  Sand dark grey  Sand black  Sand white				

Colorful choices





ZT9025 Series Customization available

Material: Aluminum
Lamp Shade: PC
Voltage: 220V-240V
High CRI: CRI>90
Waterproof: IP20
Class: I

Finishes:



ITeM NO.	ZT9025-A-450	ZT9025-B-780
Wattage:	3W	6.5W
Size:	L450 * W46.5 * H53	L780 * W46.5 * H53
Color Temp:	3000K	3000K
Light source:	LED	LED
Function:	Non	Non



ZT9025 Series

Customization available

Material:	Aluminum
Lamp Shade:	PC
Voltage:	220V-240V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	




Sand black



Sand white

Item NO.	ZT9025-C-1200	ZT9025-C-2200
Wattage:	9W	18W
Size:	L1200 * W46.5 * H53	L2200 * W46.5 * H53
Color Temp:	3000K	3000K
Light source:	LED	LED
Function:	Non	Non



ZT9025 Series Customization available

Material: Aluminum+Iron
Lamp Shade: PC
Voltage: 220V-240V
High CRI: CRI>90
Waterproof: IP20
Class: I

Finishes:



Sand black



Sand white



Gold



Red



Blue



Green



Khaki



Brushed
nickel



Brushed
copper


ITeM NO.	ZT9025-F-900	ZT9025-G-730
Wattage:	9W	9W
Size:	L900 * W180 * H50	L730 * W110 * H50
Color Temp:	3000K	3000K
Light source:	LED	LED
Function:	Non	Non



ZT3006 Series

Customization available

Material:	Stainless steel+ Aluminum+Glass	ITeM NO.	ZT3006-U/D-S-CP	ZT3006-U/D-M-CP	ZT3006-U/D-L-CP
Lamp Shade:	Glass	Wattage:	10W	20W	30W
Voltage:	220V-240V	Size:	L300 * W165 * H115	L600 * W165 * H115	L900 * W165 * H115
High CRI:	CRI>90	Color Temp:	3000K	3000K	3000K
Waterproof:	IP20	Light source:	LED	LED	LED
Class:	I	Function:	Non	Non	Non
Finishes:	 Chrome color				



ZT7002 Series Customization available

Material:	Aluminum
Lamp Shade:	PC
Voltage:	220V-240V
High CRI:	CRI>90
Waterproof:	IP65
Class:	I

Finishes:



Ice cracked texture
champagne gold



Ice crack texture
dark gray




Sand black



Sand white

ITeM NO.	ZT7002-W
Wattage:	5W
Size:	L100 * W70 * H95
Color Temp:	3000K/4000K
Light source:	Led
Function:	Non

(Note: Surface treatment is not suitable for outdoor use,
indoor use is recommended.)



ZT7003 Series

Customization available

Material: Aluminum
Lamp Shade: PC
Voltage: 220V-240V
High CRI: CRI>90
Waterproof: IP65
Class: I
Finishes:



Ice cracked texture champagne gold



Ice crack texture dark gray




Sand Black



Sand White

ITeM NO. ZT7003-W
Wattage: 7W
Size: L330 * W85 * H61.5
Color Temp: 3000K/4000K
Light source: Led
Function: Non

(Note: Surface treatment is not suitable for outdoor use, indoor use is recommended.)



ZT3009 Series

Customization available

Material: Aluminum
Lamp Shade: Glass
Voltage: 220V-240V
High CRI: CRI>90
Waterproof: IP20
Class: I

Finishes:



Brushed nickel



Sand champagne gold



Sand dark gray



Sand black



Sand white




Ice cracked texture champagne gold



Ice cracking texture gold

ITeM NO.	ZT3009-T-A	ZT3009-T-B
Wattage:	Max 40W	Max 40W
Size:	D200 * H335	D220 * H365
Lamp base type:	G9*1	G9 *1
Power cord:	1.5m cable with switch on plug	




ZT3009-F-A

ZT3009-F-B

ZT3009 Series Customization available

Material:	Aluminum	ITeM NO.	ZT3009-F-A	ZT3009-F-B
Lamp Shade:	Glass	Wattage:	Max 40W	Max 40W
Voltage:	220V-240V	Size:	D260 * H1495	D260 * H1525
High CRI:	CRI>90	Lamp base type:	G9*1	G9*1
Waterproof:	IP20	Power cord:	1.5m cable with switch on plug	
Class:	I			
Finishes:	Brushed nickel Sand champagne gold Sand dark gray Sand black Sand white Ice cracked texture champagne gold Ice cracking texture gold			



ZT3009-P-A



ZT3009-P-B

ZT3009 Series

Customization available

Material:	Aluminum
Lamp Shade:	Glass
Voltage:	220V-240V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	

ITeM NO.	ZT3009-P-A	ZT3009-P-B
Wattage:	Max 40W	Max 40W
Size:	D200 * H275	D220 * H305
Lamp base type:	G9*1	G9*1
Hanging line:	Adjustable suspension wire length 1500mm	



Brushed nickel

Sand champagne
gold

Sand dark gray



Sand black



Sand white

Ice cracked texture
champagne goldIce cracking
texture gold




ZETI®

ZHONG SHAN ZETI LIGHTING CO.LTD




Compositions


According to the design requirements, configure the appropriate ceiling plate to provide more possibilities for combination when the plan is implemented (the following description is just an example)




ZT3005-Canopy-L730




ZT3005-Canopy-L930



ZT3005-Canopy-L1630



ZT3005-Canopy-D400



ZT3005-Canopy-D700

ZT3005 Series Customization available

Material: Aluminum+Iron+Glass

Finishes:



Gold




Sand black



Sand white




Split




You have more options regarding length.

ZT3005-WS-S



ZT3005-WM-S



ZT3005-WL-S



ZT3005 Series

Customization available

Material:	Aluminum+Iron	ITeM NO.	ZT3005-WS-S	ZT3005-WM-S	ZT3005-WL-S
Lamp Shade:	Glass	Wattage:	7W	7W	7W
Voltage:	220V-240V	Size:	L318 * W250 * H400	L618 * W250 * H400	L918 * W250 * H400
High CRI:	CRI>90	Color Temp:	3000K	3000K	3000K
Waterproof:	IP20	Light source:	LED	LED	LED
Class:	I	Function:	Non	Non	Non

Finishes:



Red



Blue



Green



Khaki




Gold



Sand black




Sand white



ZT3005 Series Customization available

Material:	Aluminum	ITeM NO.	ZT3005-T-S	ZT3005-N-N
Lamp Shade:	Glass	Wattage:	7W	3.5W
Voltage:	220V-240V	Size:	L375 * W250 * H628	D110 * H128
High CRI:	CRI>90	Color Temp:	3000K	3000K
Waterproof:	IP20	Light source:	LED	LED
Class:	I	Function:	Inline dimmer switch	Inline dimmer switch
		Power cord:	1.5m cable with switch on plug	





ZT3005 Series Customization available

Material: Aluminum
Lamp Shade: Glass
Voltage: 220V-240V
High CRI: CRI>90
Waterproof: IP20
Class: I
Finishes:

ITeM NO. ZT3005-F-M
Wattage: 7W
Size: L525 * W350 * H1600
Color Temp: 3000K
Light source: LED
Power cord: 1.5m cable with switch on plug





ZT3003 Series Customization available

Material:	Aluminum+Iron
Lamp Shade:	PC
Voltage:	100V-265V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	




Sand black




Sand white

ITeM NO.	ZT3003-1D	ZT3003-1L
Wattage:	7W	6W
Size:	D250 * H180	L1380 * D350 * H2040
Color Temp:	3000K	3000K
Light source:	LED	LED
Function:	Non	Non
Power cord:	Adjustable suspension wire L1500mm	1.5m cable with switch on plug




ZT4001 Series Customization available

Material:	Aluminum	ITeM NO.	ZT4001-W	ZT4001-T
Lamp Shade:	Glass	Wattage:	10W	10W
Voltage:	220V-240V	Size:	D150 * H140	D150 * H170
High CRI:	CRI>90	Color Temp:	3000K	3000K
Waterproof:	IP20	light source:	LED	LED
Class:	I	Power cord:	Non	1.5m cable with switch on plug
Finishes:	Gold painting Brushed copper Santin nickel Sand black Sand white			



ZT4002 Series Customization available


Material:	Aluminum+Glass	ITeM NO.	ZT4002-W		
Lamp Shade:	Glass + PC	Wattage:	3W+6W		
Voltage:	220V-240V	Size:	L300 * W90 * H135		
High CRI:	CRI>90	Color Temp:	3000K		
Waterproof:	IP20	light source:	LED		
Class:	I	Function:	Non		
Finishes:	    				
	Gold painting	Brushed copper	Santin nickel	Sand black	Sand white



ZT4003 Series Customization available

Material:	Metal+Aluminum	ITeM NO.	ZT4003-W
Lamp Shade:	PC	Wattage:	7W
Voltage:	220V-240V	Size:	L260 * W100 * H147
High CRI:	CRI>90	Color Temp:	3000K
Waterproof:	IP20	light source:	LED
Class:	I	Function:	2.1A USB-A port+USB-C port

Finishes:					
	Gold painting	Brushed copper	Santin nickel	Sand black	Sand white



ZT4004 Series Customization available


Material:	Metal + Aluminum	ITeM NO.	ZT4004-W	ZT4004-WL
Lamp Shade:	PC	Wattage:	3W	3W
Voltage:	220V-240V	Size:	L200 * W40 * H64	L260 * W40 * H64
High CRI:	CRI>90	Color Temp:	3000K	3000K
Waterproof:	IP20	light source:	LED	LED
Class:	I	Function:	Non	2.1A USB-A port+USB-C port
Finishes:	Gold painting Brushed copper Santin nickel Sand black Sand white			




ZT4005-W



ZT4005-WL



ZT4005-W



ZT4005-WL

ZT4005 Series

Customization available

Material:	Metal+Aluminum	ITeM NO.	ZT4005-W	ZT4005-WL
Lamp Shade:	PC	Wattage:	3W	3W
Voltage:	220V-240V	Size:	L220 * W40 * H64	L260 * W40 * H64
High CRI:	CRI>90	Color Temp:	3000K	3000K
Waterproof:	IP20	light source:	LED	LED
Class:	I	Function:	Non	2.1A USB-A port+USB-C port








ZT4006-W(A)




ZT4006-W(B)



ZT4006-W(A)



ZT4006-W(B)



ZT4006 Series

Customization available

Material:	Metal+Aluminum+Acrylic	ITeM NO.	ZT4006-W(A)	ZT4006-W(B)
Lamp Shade:	Acrylic	Wattage:	3W + 6W	3W + 6W
Voltage:	220V-240V	Size:	D140 * H63	L130 * W130 * H63
High CRI:	CRI>90	Color Temp:	3000K	3000K
Waterproof:	IP20	light source:	LED	LED
Class:	I	Function:	Non	Non

Finishes:



Gold painting



Brushed copper



Santini nickel



Sand black




Sand white



ZT4007-W(A)



ZT4007-W(B)



ZT4007-W(A)

ZT4007-W(B)

ZT4007 Series

Customization available

Material:	Metal+Aluminum
Lamp Shade:	PC
Voltage:	220V-240V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	



Sand black



Sand white


ITeM NO.	ZT4007-W(A)	ZT4007-W(B)
Wattage:	3W	3W
Size:	D80 * W64	L86 * W86 * W62
Color Temp:	3000K	3000K
light source:	LED	LED
Function:	Non	Non



ZT4008-W(A)




ZT4008-W(B)



ZT4008 Series

Customization available

Material:	Metal+Aluminum	ITeM NO.	ZT4008-W(A)	ZT4008-W(B)
Lamp Shade:	PC	Wattage:	3W	3W
Voltage:	220V-240V	Size:	L185 * W70 * H63	L185 * W70 * H63
High CRI:	CRI>90	Color Temp:	3000K	3000K
Waterproof:	IP20	light source:	LED	LED
Class:	I	Function:	Non	2.1A USB-A port+USB-C port
Finishes:	Gold painting Brushed copper Santin nickel Sand black Sand white			



ZT4009 Series Customization available

Material:	Metal+Aluminum+PC
Lamp Shade:	PC
Voltage:	220V-240V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	



Gold painting



Brushed copper



Santin nickel




Sand black



Sand white

Item NO.	ZT4009-W
Wattage:	3W + 16W
Size:	L232 * W172 * H63.5
Color Temp:	3000K
light source:	LED
Function:	2.1A USB-A port+USB-C port



ZT4010 Series Customization available

Material: Metal+Aluminum
Lamp Shade: PC
Voltage: 220V-240V
High CRI: CRI>90
Waterproof: IP20
Class: I
Finishes:




Sand black



Sand white

ITeM NO. ZT40010-W
Wattage: 3W
Size: L675 * W115 * H26.5
Color Temp: 3000K
light source: LED
Function: 2.1A USB-A port+USB-C port




ZT4011 Series Customization available


Material:	Aluminum+Iron	ITeM NO.	ZT40011-W
Lamp Shade:	PC	Wattage:	5W
Voltage:	220V-240V	Size:	L400 * W60 * H28
High CRI:	CRI>90	Color Temp:	3000K
Waterproof:	IP20	light source:	LED
Class:	I	Function:	2.1A USB-A port+USB-C port
Finishes:	Gold painting Brushed copper Santin nickel Sand black Sand white		




ZT8021-L-1030-CC



ZT8021-L-1290-CC




ZT8021-L-2000-CV



ZT8021 Series

Customization available

		ITeM NO.	ZT8021-L-1030-CC	ZT8021-L-1290-CC	ZT8021-L-2000-CV
Material:	Iron	Wattage:	20W	29W	100W
Lamp Shade:	Silicon+Nylon	Size:	L1030	L1290	L2000
Light source:	LED	Voltage:	220-240V	220-240V	175-265V
High CRI:	CRI>90	Color Temp:	3000K	3000K	3000K
Waterproof:	IP20	Hanging line:	Adjustable suspension wire length 1500mm		
Class:	I				
Finishes:					
					
	Brushed Copper		Sand black		Sand white




ZT8023 Series Customization available

Material:	Iron
Lamp Shade:	Silicon+Nylon
Voltage:	220V-240V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	



Brushed Copper



Sand black



Sand white

ITeM NO.	ZT8023-L-800-CC	ZT8023-L-1200-CC
Wattage:	7.5W	11W
Size:	L800 * H190	L1200 * H240
Color Temp:	3000K	3000K
Light source:	LED	LED
Hanging line :	Adjustable suspension wire length 1500mm	



ZETI®

ZHONG SHAN ZETI LIGHTING CO.LTD



FLEXIBLE OPTIONAL ACCESSORIES TO ADAPT TO MORE SPATIAL SCENARIOS.



ZT8020 Series

Customization available

Material:	Aluminum	ITeM NO.	ZT8020-SET-3M	ZT8020-SET-6M	ZT8020-SET-9M
Lamp Shade:	Silicone+Nylon	Wattage:	45W	90W	135W
Voltage:	220V-240V	Size:	L3000	L6000	L9000
High CRI:	CRI>90	Color Temp:	3000K	3000K	3000K
Waterproof:	IP20	Light source:	LED	LED	LED
Class:	I	Function:	Non	Non	Non
Finishes:	Brushed Dark Grey Brushed Champagne Gold				

ZETI[®]







ZHONG SHAN ZETI LIGHTING CO.LTD





More design possibilities

User Manual


Finished neon lamps

Model 8020 series





ZT8010-W-S



ZT8010-W-L

ZT8010 Series

Customization available

Material:	Stainless Steel/Iron
Lamp Shade:	Silicone+Nylon
Voltage:	100V-265V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	



Sand black



Sand white




Gun black




VIDEO


ITEM NO.	ZT8010-W-S	ZT8010-W-L
Wattage:	6.5W	12.5W
Size:	L840 * W200 * H60 (Length930,Interval800)	L1380 * W270 * H60 (Length1580,Interval800+500)
Color Temp:	3000K	3000K
Light source:	LED	LED



VIDEO



ZT8011-W-S



ZT8011-W-M

ZT8011 Series

Customization available

Material:	Stainless Steel/Iron
Lamp Shade:	Silicone+Nylon
Voltage:	100V-265V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	



Sand black





Sand white



Gun black

ITeM NO.	ZT8011-W-S	ZT8011-W-M
Wattage:	4.5W	6.5W
Size:	L600 * W110 * H64	L900 * W120 * H64
Color Temp:	3000K	3000K
Light source:	LED	LED
Function:	Non	Non



ZT8012-W-S

ZT8012-W-M


ZT8012 Series

Customization available


Material:	Stainless Steel/Iron	ITeM NO.	ZT8012-W-S	ZT8012-W-M
Lamp Shade:	Silicone+Nylon	Wattage:	6.5W	12.5W
Voltage:	100V-265V	Size:	L435 * W320 * H110	L475 * W300 * H110
High CRI:	CRI>90	Color Temp:	3000K	3000K
Waterproof:	IP20	Light source:	LED	LED
Class:	I	Function:	Non	Non
Finishes:	Sand black Sand white Gun black			



VIDEO



ZT8013-L-12



ZT8013-L-16

ZT8013 Series

Customization available

Material:	Stainless Steel/Iron
Lamp Shade:	Silicone+Nylon
Voltage:	100V-265V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	



Sand black




Sand white




Gun black

ITeM NO.	ZT8013-L-12	ZT8013-L-16
Wattage:	12.5W	16.5W
Size:	L1200*H230	L1600*H255
Color Temp:	3000K	3000K
Light source:	LED	LED
Hanging line:	Adjustable suspension wire length 1500mm	



VIDEO



ZT8013-A-M

ZT8013-B-M

ZT8013 Series

Customization available

Material:	Stainless Steel/Iron
Lamp Shade:	Silicone+Nylon
Voltage:	100V-265V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	



Sand black




Sand white



Gun black

ITeM NO.	ZT8013-A-M	ZT8013-B-M
Wattage:	5.5W	10W
Size:	L800 * W115 * H65	L900 * W235 * H65
Color Temp:	3000K	3000K
Light source:	LED	LED
Function:	Non	Non



ZT8013 Series Customization available

Material:	Stainless Steel/Iron
Lamp Shade:	Silicone+Nylon
Voltage:	100V-265V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I

Finishes:



Sand black




Sand white



Gun black

ITeM NO.	ZT8013-D-M
Wattage:	9W
Size:	L1530 * W230
Color Temp:	3000K
Light source:	LED
Function:	Non




ZT8013 Series Customization available

Material:	Stainless Steel/Iron	ITeM NO.	ZT8013-F
Lamp Shade:	Silicone+Nylon	Wattage:	16W
Voltage:	100V-265V	Size:	W300 * H1600
High CRI:	CRI>90	Color Temp:	3000K
Waterproof:	IP20	Light source:	LED
Class:	I	Hanging line:	1.5m cable with switch on plug
Finishes:	 Sand black  Sand white  Gun black		




ZT8014 Series Customization available

Material:	Iron	ITeM NO.	ZT8014-P-15	ZT8014-P-18	ZT8014-P-22
Lamp Shade:	Silicone+Nylon	Wattage:	14.4W	16.2W	20W
Voltage:	100V-265V	Size:	L1500	L1800	L2200
High CRI:	CRI>90	Color Temp:	3000K	3000K/4000K	3000K
Waterproof:	IP20	Light source:	LED	LED	LED
Class:	I	Function:	Non	Non	Non
Finishes:	Sand blackSand white				




ZT8015 Series Customization available

Material:	Stainless steel/Iron	ITeM NO.	ZT8015-10-CC	ZT8015-16-CC	ZT8015-22-CC
Lamp Shade:	Silicone+Nylon	Wattage:	10.8W	16.2W	21.6W
Voltage:	100V-265V	Size:	Max L1360 (Length of installation completed)	Max L1960 (Length of installation completed)	Max L2560 (Length of installation completed)
High CRI:	CRI>90	Color Temp:	3000K	3000K	3000K
Waterproof:	IP20	Light source:	LED	LED	LED
Class:	I	Function:	Non	Non	Non
Finishes:	Sand black Sand white				




ZT8016 Series Customization available


Material:	Stainless Steel/Iron	ITeM NO.	ZT8016-Customized
Lamp Shade:	Silicone+Nylon	Wattage:	20W / M
Voltage:	100V-265V	Size:	Customized size according to requirements (can be cut to any length on site)
High CRI:	CRI>90	Color Temp:	3000K/4000K
Waterproof:	IP20	Light source:	LED
Class:	I	Function:	Non
Finishes:	 Sand black		



ZT8017-10M



ZT8017-15M



ZT8017-3M



ZT8017 Series



Customization available

Material:	Iron
Lamp Shade:	Silicone+Nylon
Voltage:	175V-264V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	




Sand black

ITeM NO.	ZT8017-3M	ZT8017-5M	ZT8017-10M
Wattage:	48W	80W	160W
Size:	L3000	L5000	L10000
Color Temp:	3000K	3000K	3000K
Light source:	LED	LED	LED
Hanging line:	Adjustable suspension wire length 1500mm		



ZT8018 Series Customization available

Material:	Iron	ITeM NO.	ZT8018-P-500
Lamp Shade:	Silicone+Nylon	Wattage:	12.6W
Voltage:	100V-265V	Size:	D500 * H330
High CRI:	CRI>90	Color Temp:	3000K
Waterproof:	IP20	Light source:	LED
Class:	I	Hanging line:	Adjustable suspension wire length 1500mm
Finishes:	 Sand black  Sand white  Brushed copper		



ZT8019 Series

Customization available

Material:	Iron
Lamp Shade:	Silicone+Nylon
Voltage:	100V-265V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	





Sand black




Sand white

ITeM NO.	ZT8019-P-400	ZT8019-P-500
Wattage:	12.6W	16.2W
Size:	D400 * H210	D500 * H255
Color Temp:	3000K	3000K
Light source:	LED	LED
Hanging line:	Adjustable suspension wire length 1500mm	



ZT3008 Series Customization available

Material:	Aluminum+Stainless steel +Iron	ITeM NO.	ZT3008-F-5	ZT3008-D-5
Lamp Shade:	Acrylic	Wattage:	10W	10W
Voltage:	220V-240V	Size:	D105 * H1700	D40 * H880
High CRI:	CRI>90	Color Temp:	2000K + 4000K	2000K + 4000K
Waterproof:	IP20	Light source:	LED	LED
Class:	I	Power cord:	1.5m cable with switch on plug	
Finishes:	 Brushed nickel			



ZT8001 Series


Customization available

Material:	Iron
Lamp Shade:	Glass
Voltage:	220V-240V
High CRI:	CRI>90
Waterproof:	IP20
Class:	I
Finishes:	Black



Black

ITeM NO.	ZT8001-1200C
Wattage:	30W
Size:	L1200 * W175 * H135
Color Temp:	3000K
Light source:	LED
Hanging line:	Adjustable suspension wire length 1500mm



LIGHT
FOR THE FUTURE